

## **Wikiprint Book**

**Title:** projects/jpf-mango/examples/ltsAWrap

**Subject:** Java Path Finder - projects/jpf-mango/examples/ltsAWrap

**Version:** 28

**Date:** 03/01/2013 09:23:50 PM

## Table of Contents

ItsAWrap example, special considerations for loops

3

## ItsAWrap example, special considerations for loops

This example focusses on issues that arise in the consideration of loops. In particular, the introduction of "shadow rules" to imply the truth of automatically generated loop-exit conjectures. This example assumes you have already worked through the [Hello World](#) and [CarRecall](#) examples. If not, you might find the steps a little hard to follow. However, links have been provided to parallel steps in the earlier examples for your convenience.

Start by [loading](#) the ItsAWrap project, located inside the "rbi" folder.

[Restore the default preferences](#), then **check** preferences "Suppress advice dialogs" and "Do not pause for case-splits". Now **uncheck** "Suppress structural hypotheses".

[Open](#) the ItsAWrap class in an editor window.

[Populate and run](#), using the ItsAWrap class as command target.

Observe that three [specifications are generated](#), for the loop body of the clear method, for the clear method, and for the test method. We shall consider each of these in turn.

[Open](#) the loop specification (see figure).

[Image http://babelfish.arc.nasa.gov/trac/jpf/attachment/wiki/projects/jpf-mango/figures/clearLoop?](http://babelfish.arc.nasa.gov/trac/jpf/attachment/wiki/projects/jpf-mango/figures/clearLoop?)